Federal Government Mapping Resources

Experiences from a Virtual Reference Desk

Ryan Mattke

Map & Geospatial Information Librarian




Resources Covered

- USGS Earth Explorer
- USGS topoView
- USGS Historical Topographic Map Explorer
- USDA Web Soil Survey
- National Geologic Map Database


Bonus


- USGS Streamer
- US Census Flows Mapper
- US Census OnTheMap
- Climate Mapping for Resilience and Adaptation


USGS Earth Explorer – Aerial Imagery





^{**}If you want to download anything, you will need to create a (free) account**
























Data Set Attribute	Attribute Value
Entity ID	AR1DV0000050055
Agency	ĭ
Vendor ID	


Open New Window


Close











The Bulk Download Web Application is an easy-to-use tool for downloading large quantities of satellite imagery and geospatial data. This application allows users to downloads groups of submitted scenes that can be automatically executed without the user physically downloading each scene. This web interface replaced the legacy Java version of the application.


Start Order





Bulk Download - 3 Items


The Bulk Download Web Application is an easy-to-use tool for downloading large quantities of satellite imagery and geospatial data. This application allows users to downloads groups of submitted scenes that can be automatically executed without the user physically downloading each scene. This web interface replaced the legacy Java version of the application.




Bulk Download Orders

2 Last Updated 8/9/2023, 2:44:14 PM

Order ID	Date Entered	Files Remaining	Size Remaining
MSP	2023-08-09T19:40:06.757Z	3	39.36 MB














USGS topoView & Historical Topographic Map Explorer



















Compare maps using the transparency sliders, and Reorder maps by dragging them.

> Sign in to save web maps to your ArcGIS Online account













science

Find a place you want to explore, then Click on a location to see its historical maps.

Q msp airport


8

Compare maps using the transparency sliders, and Reorder maps by dragging them.

Sign in to save web maps to your ArcGIS
Online account







Compare maps using the transparency sliders, and Reorder maps by dragging them.


Sign in to save web maps to your ArcGIS
Online account












USDA Web Soil Survey







National Park Service Hydrologic Unit


Area of Interest (AOI) Soil Map

Soil Data Explorer

8

Download Soils Data

Shopping Cart (Free)






Printable Version | Add to Shopping Cart |



Hen	nepin County, Mir	nnesota (M	N053)
Henner	oin County, Minn	esota (MN	053) 🚳
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
D4A	Dorset sandy loam, 0 to 2 percent slopes	198.7	5.6%
D4B	Dorset sandy loam, 2 to 6 percent slopes	139.3	4.0%
D5C	Dorset-Two Inlets complex, 6 to 12 percent slopes	10.5	0.3%
D6A	Verndale sandy loam, 0 to 2 percent slopes	14.3	0.4%
D6B	Verndale sandy loam, 2 to 6 percent slopes	2.5	0.1%
D6C	Verndale sandy loam, acid substratum, 6 to 12 percent slopes	7.7	0.2%
D8E	Sandberg loamy coarse sand, 6 to 30 percent slopes	31.8	0.9%





	slopes		
D64B	Urban land- Hubbard complex, Mississippi River Valley, 0 to 8 percent slopes	312.6	8.9%
D67A	Hubbard loamy sand, 0 to 2 percent slopes	531.5	15.1%
D67B	Hubbard loamy sand, 1 to 6 percent slopes	470.0	13.3%
D67C	Hubbard loamy sand, 2 to 12 percent slopes	65.6	1.9%
132F	Hawick loamy	13.2	0 4%

Map Unit Description

Printable Version

Report — Map Unit Description



Hennepin County, Minnesota

D67A—Hubbard loamy sand, 0 to 2 percent slopes Map Unit Setting

National map unit symbol: 2w0mk Elevation: 660 to 1,710 feet

Mean annual precipitation: 25 to 33 inches Mean annual air temperature: 37 to 48 degrees F

Frost-free period: 120 to 170 days

Farmland classification: Not prime farmland

Map Unit Composition

Hubbard and similar soils: 90 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Hubbard

Setting

Landform: Flats, stream terraces

Landform position (three-dimensional): Tread, talf

Down-slope shape: Linear Across-slope shape: Linear Parent material: Sandy outwash

Typical profile

Ap - 0 to 8 inches: loamy sand AB - 8 to 20 inches: loamy sand Bw - 20 to 32 inches: loamy sand

C - 32 to 79 inches: sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Excessively drained

Capacity of the most limiting layer to transmit water (Ksat): High to

very high (6.00 to 59.98 in/hr)
Depth to water table: More than 80 inches


Frequency of flooding: None Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water supply, 0 to 60 inches: Low (about 3.9 inches)



National Geologic Map Database






The National Geologic Map Database

Developing a distributed archive of standardized geoscience information for the nation.











TopoView Access the Historical Topographic Map Collection





Standards & Guides Resources for Creating Geologic Maps and Reports




Geologic Map Schema GeMS - Database Schema for Digital Geologic Maps














Qds

Dune sand

(derived from glacial river gravels and outwash from young gray drift.)



Later terrace gravels of glacial River Warren time

(deposited in River Warren outlet of glacial Lake Agassiz and in the chan-nel of Mississippi River)



Glacial Minnesota and Mississippi river channel floors on Decorah shale and Platteville limestone

(a higher terrace, generally on becorah shale, cut in the bedrock during the deposition of the earlier terrace gravel, a lower terrace, generally on Platteville limestone, cut somewhat later, about 100 feet above present flood plains)

Qet

Earlier terrace gravels

of glacial Minnesota and Mississippi rivers (issued from young gray drift, includes some nearly bare till surfaces and some later wash on terrace slopes)

Wisconsin stage



Glacial river gravel in partly filled pre-Wisconsin channel

QUATERNARY



National Geologic Map Database

Product Description Page

General Information

Title: Minneapolis-St. Paul folio, Minnesota

Author(s): Sardeson, F.W.

Publishing Organization: U.S. Geological Survey

Series and Number: Geologic Atlas of the United States Folio GF-201

Publication Date: 1916 Map Scale: 1:62,500 Cross Section: None

North Latitude: 45° 15' 0" N (45.2500) South Latitude: 44° 45' 0" N (44.7500) East Longitude: 93° 0' 0" W (-93.0000) West Longitude: 93° 30' 0" W (-93.5000)

Corrections to this entry?



Find more maps in this area with mapView

Map Preview (Click image to enlarge)









Downloads from the NGMDB

Select an image from the Map Preview section and choose a download option below

Print Optimized PDF (5Mb)

Compressed GeoTiff (8Mb)

Browse Graphic (JPG) (496K)

Google Earth KMZ (3Mb)

NOTE: Images shown may not constitute the entire publication, see below for publisher links.

Image 4 of 8 — Areal Geology (St. Paul sheet)














USGS Streamer








US Census – Flows Mapper





County Statistics (2016-2020)

Hennepin County, Minnesota

Population (1 yr and over): 1,239,863 Movers from a different state: 32,696 Movers to a different state: 31,998

Movers from a different county, same state: 43,102 Movers to a different county, same state: 47,984

Movers from abroad: 9,168


Data Table for Hennepin County, Minnesota - Click on a record to zoom to that county

Search by Co	Search by County Name:						
A	State	County					


Record Count: 762 records


Export to CSV


,	-						-
▲ State/County FIPS	State FIPS	County	County Name	State Name	Total	Margin of Error (+/-)	
'01069'	'01'	'069'	Houston County	Alabama	-4	6	<u></u>
'01073'	'01'	'073'	Jefferson County	Alabama	46	48	
'01089'	'01'	'089'	Madison County	Alabama	-36	39	
'01101'	'01'	'101'	Montgomery County	Alabama	23	46	-





US Census - OnTheMap














Climate Mapping for Resilience and Adaptation

"helps people assess their local exposure to climate-related hazards"



Wildfire Active fires 492 Last 30 days Source: National Interagency Fire Center

Current Incidents

Personnel Assigned



> 50



50-500



1-50

Unreported Personnel

Prescribed Fire

Current Perimeters

Category




Wildfire



Prescribed Fire

Very Unhealthy

Hazardous



Drought People experiencing drought 72,839,866 Last 52 weeks Source: NOAA/NIDIS Drought.gov

USA Drought Intensity - Current Conditions

Drought Status


Abnormally Dry

Drought - Moderate

Drought - Severe

Drought - Extreme

Drought - Exceptional



Drought

People experiencing drought 72,839,866

Source: NOAA/NIDIS Drought.gov

Inland Flooding

People under flood alerts

16,515,208

Last 30 days



Source: NOAA National Weather Service


Coastal Flooding

People under flood alerts

0

Source: NOAA National Weather Service

Futurus Hast



Inland Flooding

People under flood alerts

16,515,208


Source: NOAA National Weather Service

Coastal Flooding

People under flood alerts

(

Last 30 days




Extreme Heat

People under heat alerts

156,225,629

Source: NOAA National Weather Service



Weather Watches, Warnings, and Advisories

Туре



Excessive Heat Warning



Excessive Heat Watch



Heat Advisory

Maximum Temperature

°F Range



120 to 150



115 to 120



110 to 115



105 to 110




100 -- 105

Extreme Heat


People under heat alerts


156,225,629


Last 30 days



Source: NOAA National Weather Service









CMRA Assessment Tool


Check how climate conditions in your location are projected to change over the next several decades. Explore the results to recognize if the things your community values—assets such as people, property, and infrastructure—could be exposed to climate-related hazards.

Launch the CMRA Assessment Tool

Explore the User Guide







Hazard Report

Coastal Inundation



Monroe County, Florida



Total Population ① 75,798





Income Below Poverty in Last 12 Mo (%)



Building Codes Hazard Resistance ① Resistant



% Population Disadvantaged 0 33.82%



Explore additional data





Future Climate Indicators							
Indicator	Modeled History (1976 - 2005)	Early Century (2015 - 2044)		Mid Century (2035 - 2064)		Late Century (2070 - 2099)	
		Lower Emissions	Higher Emissions	Lower Emissions	Higher Emissions	Lower Emissions	Higher Emissions
	Min - Max	Min - Max	Min - Max	Min - Max	Min - Max	Min - Max	Min - Max
Sea level rise:							
Percent of selected county impacted by global sea level rise	N/A	2%	2%	6%	7%	9%	9%

Questions?

Slides: https://z.umn.edu/FedGovMapResources

